

CERTIFICATE

Specific Assessment for Materials as per Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended Schedule 2, Part 4, Clause 31 (8).

This is to certify that

TŘINECKÉ ŽELEZÁRNY, a. s. Průmyslová 1000, Staré Město 739 61 Třinec Czech Republic

Has successfully undergone a specific assessment for materials manufacture under the requirement of the Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended. The Material Manufacturer has implemented, operates and maintains a Quality Assurance System in accordance with Schedule 2, Part 4, Clause 31 (8).

TŘINECKÉ ŽELEZÁRNY, a. s. Průmyslová are authorised to issue certificates of specific product control, within the scope of assessment as shown in **Annex A**.

This certificate, which remains the property of TÜV UK Ltd, was issued in accordance with the TÜV UK Ltd auditing and certification procedures, and its validity is subject to regular surveillance audits under the requirement of the Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended providing certificates are not withdrawn or expired.

Certificate No. 0879/PESR/31(8)/23038/CZ Valid until: 31st March 2025

Initial certification: 16th June 2023

Signed for and on behalf of TÜV UK Ltd, London, 16th June 2023

S Worrall Peer Reviewer

P Ward Managing Director



Certificate No. 0879/PESR/31(8)/23038/CZ

Annex A - Page 1 of 1

Scope of Approval:	TÜV UK Ltd TÜV NORD GROUP			
Non-alloy and a	AMP House Suites 27-29, Fifth Floor Dingwall Road, Croydon, CR0 2LX			
Manufacturer	Name	TŘINECKÉ ŽELEZÁRNY, a. s.	The Certification Body -	
	Address	Průmyslová 1000, Staré Město 739 61 Třinec Czech Republic Manufacturing Site:- VT - Válcovna trub, Výstavní 1132/95, Vítkovice,706 02 Ostrava, Czech Republic	TÜV Nord Cert GmBH Langemarckstrasse 20 45141 Essen Germany Cert No. 44 100 080959	
Materials (Steels)	Unalloye	ed and alloy ferritic steel.		
Material Specification		Grades	Delivery Condition	
DIN EN 10216-1		P195TR2, P235TR2, P265TR2	Normalised ⁽¹⁾	
DIN EN 10216-2		P195GH, P235GH, P265GH	Normalised ⁽¹⁾	
DIN EN 10216-2		16Mo3	Normalised ⁽¹⁾	
DIN EN 10216-2		13CrMo4-5, 10CrMo9-10, 11CrMo9-10, 14MoV6-3, X10CrMoVNb9-1,	Normalised & Annealed ⁽¹⁾ , Quenched & Tempered ⁽¹⁾	
DIN EN 10216-2		15NiCuMoNb5-6-4	Normalised & Annealed ⁽²⁾ , Quenched & Tempered ⁽²⁾	
DIN EN 10216-3		P275NL1, P275NL2, P355N, P355NH, P355NL1, P355NL2	Normalised ⁽¹⁾	
ASME SA 106		Grades A, Gr. B, Gr. C	Normalised ⁽³⁾	
ČSN 415128		15128.5, 15128.9	Normalised & Annealed ⁽¹⁾ , Quenched & Tempered ⁽¹⁾	

Remarks	(1)	5.0mm – 60.0mm thick, 60.3mm – 406.4mm diameter.
	(2)	5.0mm – 30.0mm thick, 60.3mm – 406.4mm diameter.
	(3)	5.0mm – 63.5mm thick, 60.3mm – 406.4mm diameter.

This Annex is only valid with an in-date quality management certificate.

Signed:-

S Worral Peer Reviewer

Date: 16th June 2023