

# Přirážky za legury

LEDEN 2016 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	1	1	1
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		1	1	1
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		1	1	1
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		1	1	1
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		1	1	1
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	C55		0	0	0
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		1	1	1
1.1303	38MnVS6		1	1	1
1.2208	31CrV2 (31CrV3)		22	23	28
1.3505	100Cr6		24	25	31
1.3520	100CrMnSi6-4		30	31	39
1.3531	16CrNiMo6		118	122	152
1.3537	100CrMo7		29	30	37
1.5023	38Si7		15	16	19
1.5122	37MnSi5		12	12	15
1.5217	20MnV6		2	2	3
1.5231	38MnSiVS5		6	6	8
	C38mod		6	6	8
1.5232	27MnSiVS6		6	6	8
1.5415	16Mo3 (15Mo3)		2	2	3
1.5508	22B2		0	0	0
1.5526	30MnB4+Ti,30MnB4		3	3	4
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		203	211	262
1.5810	18NiCr5-4		95	99	123
1.5918	17CrNi6		115	119	148
1.5920	18CrNi8		144	149	186
1.6522	20NiCrMo2		42	44	54
1.6540	23MnNiCrMo53		56	58	72
1.6541	23MnNiCrMo52		42	44	54
1.6566	17NiCrMo6-4		106	110	137

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6580	30CrNiMo8		150	156	194
1.6582	34CrNiMo6	100	112	116	144
1.6587	18CrNiMo7-6	105	118	122	152
1.6758	23MnNiMoCr54		69	72	89
1.7015	15Cr3		9	9	12
1.7016	17Cr3		14	15	18
1.7027	20Cr4		17	18	22
1.7033	34Cr4(S4)		17	18	22
1.7035	41Cr4(S4)		17	18	22
1.7076	32CrB4		17	18	22
1.7077	36CrB4		17	18	22
1.7102	54SiCr6		23	24	30
1.7131	16MnCr5(S5)		15	16	19
1.7147	20MnCr5(S5)		19	20	25
1.7160	16MnCrB5		15	16	19
1.7176	55Cr3		14	15	18
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		19	20	25
1.7220	34CrMoS4		19	20	25
1.7225	42CrMo4	16	19	20	25
1.7227	42CrMoS4	16	19	20	25
1.7228	50CrMo4		19	20	25
1.7321	20MoCr4		11	11	14
1.7325	25MoCr4		11	11	14
1.7335	13CrMo4-5		19	20	25
1.7380	10CrMo9-10		46	48	59
1.7701	52CrMoV4		18	19	23
1.7707	30CrMoV9		64	66	83
1.8153	60SiCrV7		22	23	28
1.8159	51CrV4, 50CrV4		14	15	18
1.8161	58CrV4		15	16	19
1.8519	31CrMoV9		39	40	50
	18NiCrMo5		106	110	137
	21NiCrMo5		106	110	137
	40NiCrMo7		135	140	174

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	39NiCrMo3		78	81	101
	20CrNi4		87	90	112
	16CrNi4		87	90	112
	16NiCrS4		87	90	112
	EN 355		166	172	214
	TL 1356		0	0	0
	TL 1427		1	1	1
	TL 1438		1	1	1
	TL 4221		16	17	21
	TL 4227		17	18	22
	TL 4521		105	109	135
	TL4521MOD		157	163	203
	V2905		1	1	1
	V2906		1	1	1
	ZF1		115	119	148
	ZF1A		118	122	152
	ZF6		15	16	19
	ZF50	0	0	0	0
	ZF59		6	6	8
	ZF60M		0	0	0
	ZF7		18	19	23
	ZF7B		18	19	23
	4130 Mod		49	51	63
	4140		19	20	25
	C15F+Svk		8	8	10
	30Cr2V		115	119	148
	38Cr2V		96	100	124
	817M40-TZM		115	119	148
	605M36		7	7	9
	60SiCr8		21	22	27
	709M40		36	37	46
	C50E26C		4	4	5
	C50E83C		25	26	32
	4319		124	129	160
	8219		41	43	53

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	8319		44	46	57
	S53		7	7	9
	50S2		15	16	19
	WSTE 355+CE	0	1	1	1
	42CrMo4 Mod	37			
	42CrMo4-NIC	37			
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		22	23	28
	CQ35		1	1	1
	SAE 1548mod		1	1	1
	38MnS6		6	6	8
	S48C		0	0	0

# Přirážky za legury

ÚNOR 2016 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		0	0	0
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		0	0	0
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		0	0	0
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	C55		0	0	0
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		0	0	0
1.1303	38MnVS6		0	0	0
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		23	24	30
1.3520	100CrMnSi6-4		29	30	37
1.3531	16CrNiMo6		106	110	137
1.3537	100CrMo7		30	31	39
1.5023	38Si7		12	12	15
1.5122	37MnSi5		9	9	12
1.5217	20MnV6		2	2	3
1.5231	38MnSiVS5		0	0	0
	C38mod		0	0	0
1.5232	27MnSiVS6		0	0	0
1.5415	16Mo3 (15Mo3)		3	3	4
1.5508	22B2		0	0	0
1.5526	30MnB4+Ti,30MnB4		3	3	4
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		175	181	226
1.5810	18NiCr5-4		83	86	107
1.5918	17CrNi6		102	106	132
1.5920	18CrNi8		127	132	164
1.6522	20NiCrMo2		38	39	49
1.6540	23MnNiCrMo53		50	52	65
1.6541	23MnNiCrMo52		38	39	49
1.6566	17NiCrMo6-4		99	103	128

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6580	30CrNiMo8		134	139	173
1.6582	34CrNiMo6	89	100	104	129
1.6587	18CrNiMo7-6	94	105	109	135
1.6758	23MnNiMoCr54		63	65	81
1.7015	15Cr3		8	8	10
1.7016	17Cr3		13	13	17
1.7027	20Cr4		16	17	21
1.7033	34Cr4(S4)		16	17	21
1.7035	41Cr4(S4)		16	17	21
1.7076	32CrB4		16	17	21
1.7077	36CrB4		16	17	21
1.7102	54SiCr6		20	21	26
1.7131	16MnCr5(S5)		15	16	19
1.7147	20MnCr5(S5)		18	19	23
1.7160	16MnCrB5		15	16	19
1.7176	55Cr3		13	13	17
1.7182	27MnCrB5/35KBW		7	7	9
1.7185	33MnCrB5		7	7	9
1.7218	25CrMoS4		19	20	25
1.7220	34CrMoS4		19	20	25
1.7225	42CrMo4	16	19	20	25
1.7227	42CrMoS4	16	19	20	25
1.7228	50CrMo4		19	20	25
1.7321	20MoCr4		11	11	14
1.7325	25MoCr4		12	12	15
1.7335	13CrMo4-5		19	20	25
1.7380	10CrMo9-10		46	48	59
1.7701	52CrMoV4		13	13	17
1.7707	30CrMoV9		56	58	72
1.8153	60SiCrV7		22	23	28
1.8159	51CrV4, 50CrV4		11	11	14
1.8161	58CrV4		12	12	15
1.8519	31CrMoV9		35	36	45
	18NiCrMo5		99	103	128
	21NiCrMo5		99	103	128
	40NiCrMo7		126	131	163



W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	39NiCrMo3		74	77	95
	20CrNi4		81	84	104
	16CrNi4		81	84	104
	16NiCrS4		81	84	104
	EN 355		156	162	201
	TL 1356		0	0	0
	TL 1427		0	0	0
	TL 1438		0	0	0
	TL 4221		15	16	19
	TL 4227		16	17	21
	TL 4521		102	106	132
	TL4521MOD		154	160	199
	V2905		0	0	0
	V2906		0	0	0
	ZF1		101	105	130
	ZF1A		105	109	135
	ZF6		15	16	19
	ZF50	0	0	0	0
	ZF59		0	0	0
	ZF60M		0	0	0
	ZF7		18	19	23
	ZF7B		18	19	23
	4130 Mod		48	50	62
	4140		19	20	25
	C15F+Svk		7	7	9
	30Cr2V		110	114	142
	38Cr2V		94	97	121
	817M40-TZM		109	113	141
	605M36		6	6	8
	60SiCr8		19	20	25
	709M40		39	40	50
	C50E26C		4	4	5
	C50E83C		24	25	31
	4319		115	119	148
	8219		39	40	50

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	8319		42	44	54
	S53		7	7	9
	50S2		12	12	15
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	33			
	42CrMo4-NIC	33			
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		21	22	27
	CQ35		0	0	0
	SAE 1548mod		0	0	0
	38MnS6		4	4	5
	S48C		0	0	0

# Přirážky za legury

**BŘEZEN 2016 [€/t]**

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		0	0	0
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		0	0	0
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		0	0	0
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	C55		0	0	0
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		0	0	0
1.1303	38MnVS6		0	0	0
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		22	23	28
1.3520	100CrMnSi6-4		28	29	36
1.3531	16CrNiMo6		100	104	129
1.3537	100CrMo7		30	31	39
1.5023	38Si7		11	11	14
1.5122	37MnSi5		8	8	10
1.5217	20MnV6		2	2	3
1.5231	38MnSiVS5		0	0	0
	C38mod	0	0	0	0
1.5232	27MnSiVS6		0	0	0
1.5415	16Mo3 (15Mo3)		5	5	6
1.5508	22B2		0	0	0
1.5526	30MnB4+Ti,30MnB4		3	3	4
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		165	171	213
1.5810	18NiCr5-4		76	79	98
1.5918	17CrNi6		92	95	119
1.5920	18CrNi8		117	121	151
1.6522	20NiCrMo2		35	36	45
1.6540	23MnNiCrMo53		47	49	61
1.6541	23MnNiCrMo52		36	37	46
1.6566	17NiCrMo6-4		95	99	123

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6580	30CrNiMo8		126	131	163
1.6582	34CrNiMo6	83	93	96	120
1.6587	18CrNiMo7-6	88	99	103	128
1.6758	23MnNiMoCr54		61	63	79
1.7015	15Cr3		8	8	10
1.7016	17Cr3		13	13	17
1.7027	20Cr4		16	17	21
1.7033	34Cr4(S4)		16	17	21
1.7035	41Cr4(S4)		16	17	21
1.7076	32CrB4		16	17	21
1.7077	36CrB4		16	17	21
1.7102	54SiCr6		19	20	25
1.7131	16MnCr5(S5)		14	15	18
1.7147	20MnCr5(S5)		17	18	22
1.7160	16MnCrB5		14	15	18
1.7176	55Cr3		13	13	17
1.7182	27MnCrB5/35KBW		6	6	8
1.7185	33MnCrB5		6	6	8
1.7218	25CrMoS4		19	20	25
1.7220	34CrMoS4		19	20	25
1.7225	42CrMo4	17	19	20	25
1.7227	42CrMoS4	17	19	20	25
1.7228	50CrMo4		19	20	25
1.7321	20MoCr4		14	15	18
1.7325	25MoCr4		15	16	19
1.7335	13CrMo4-5		22	23	28
1.7380	10CrMo9-10		51	53	66
1.7701	52CrMoV4		14	15	18
1.7707	30CrMoV9		55	57	71
1.8153	60SiCrV7		22	23	28
1.8159	51CrV4, 50CrV4		11	11	14
1.8161	58CrV4		12	12	15
1.8519	31CrMoV9		36	37	46
	18NiCrMo5		95	99	123
	21NiCrMo5		95	99	123
	40NiCrMo7		121	125	156

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	39NiCrMo3		72	75	93
	20CrNi4		78	81	101
	16CrNi4		78	81	101
	16NiCrS4		78	81	101
	EN 355		151	157	195
	TL 1356		0	0	0
	TL 1427		0	0	0
	TL 1438		0	0	0
	TL 4221		15	16	19
	TL 4227		15	16	19
	TL 4521		95	99	123
	TL4521MOD		147	152	190
	V2905		0	0	0
	V2906		0	0	0
	ZF1		92	95	119
	ZF1A		99	103	128
	ZF6		14	15	18
	ZF50	0	0	0	0
	ZF59		0	0	0
	ZF60M		0	0	0
	ZF7		17	18	22
	ZF7B		17	18	22
	4130 Mod		47	49	61
	4140		19	20	25
	C15F+Svk		7	7	9
	30Cr2V		107	111	138
	38Cr2V		92	95	119
	817M40-TZM		105	109	135
	605M36		6	6	8
	60SiCr8		19	20	25
	709M40		39	40	50
	C50E26C		3	3	4
	C50E83C		24	25	31
	4319		110	114	142
	8219		38	39	49

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	8319		41	43	53
	S53		7	7	9
	50S2		11	11	14
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	32			
	42CrMo4-NIC	32			
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		21	22	27
	CQ35		0	0	0
	SAE 1548mod		0	0	0
	38MnS6		4	4	5
	S48C		0	0	0

# Přirážky za legury

DUBEN 2016 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		0	0	0
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		0	0	0
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		0	0	0
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			



W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	C55		0	0	0
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		0	0	0
1.1303	38MnVS6		0	0	0
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		21	22	27
1.3520	100CrMnSi6-4		28	29	36
1.3531	16CrNiMo6		95	99	123
1.3537	100CrMo7		30	31	39
1.5023	38Si7		11	11	14
1.5122	37MnSi5		8	8	10
1.5217	20MnV6		2	2	3
1.5231	38MnSiVS5		1	1	1
	C38mod	0	1	1	1
1.5232	27MnSiVS6		1	1	1
1.5415	16Mo3 (15Mo3)		5	5	6
1.5508	22B2		0	0	0
1.5526	30MnB4+Ti,30MnB4		3	3	4
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		158	164	204
1.5810	18NiCr5-4		76	79	98
1.5918	17CrNi6		89	92	115
1.5920	18CrNi8		112	116	144
1.6522	20NiCrMo2		33	34	43
1.6540	23MnNiCrMo53		45	47	58
1.6541	23MnNiCrMo52		34	35	44
1.6566	17NiCrMo6-4		92	95	119

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6580	30CrNiMo8		121	125	156
1.6582	34CrNiMo6	79	89	92	115
1.6587	18CrNiMo7-6	84	95	99	123
1.6758	23MnNiMoCr54		58	60	75
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		18	19	23
1.7131	16MnCr5(S5)		13	13	17
1.7147	20MnCr5(S5)		16	17	21
1.7160	16MnCrB5		13	13	17
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		6	6	8
1.7185	33MnCrB5		6	6	8
1.7218	25CrMoS4		19	20	25
1.7220	34CrMoS4		19	20	25
1.7225	42CrMo4	17	19	20	25
1.7227	42CrMoS4	17	19	20	25
1.7228	50CrMo4		19	20	25
1.7321	20MoCr4		14	15	18
1.7325	25MoCr4		15	16	19
1.7335	13CrMo4-5		22	23	28
1.7380	10CrMo9-10		51	53	66
1.7701	52CrMoV4		14	15	18
1.7707	30CrMoV9		53	55	68
1.8153	60SiCrV7		21	22	27
1.8159	51CrV4, 50CrV4		11	11	14
1.8161	58CrV4		12	12	15
1.8519	31CrMoV9		35	36	45
	18NiCrMo5		92	95	119
	21NiCrMo5		92	95	119
	40NiCrMo7		117	121	151

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	39NiCrMo3		70	73	90
	20CrNi4		75	78	97
	16CrNi4		75	78	97
	16NiCrS4		75	78	97
	EN 355		145	150	187
	TL 1356		0	0	0
	TL 1427		0	0	0
	TL 1438		0	0	0
	TL 4221		14	15	18
	TL 4227		14	15	18
	TL 4521		92	95	119
	TL4521MOD		144	149	186
	V2905		0	0	0
	V2906		0	0	0
	ZF1		89	92	115
	ZF1A		95	99	123
	ZF6		13	13	17
	ZF50	0	0	0	0
	ZF59		1	1	1
	ZF60M		0	0	0
	ZF7		16	17	21
	ZF7B		16	17	21
	4130 Mod		45	47	58
	4140		19	20	25
	C15F+Svk		7	7	9
	30Cr2V		104	108	134
	38Cr2V		90	93	116
	817M40-TZM		102	106	132
	605M36		6	6	8
	60SiCr8		19	20	25
	709M40		39	40	50
	C50E26C		3	3	4
	C50E83C		24	25	31
	4319		106	110	137
	8219		37	38	48

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	8319		40	41	52
	S53		7	7	9
	50S2		11	11	14
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	30			
	42CrMo4-NIC	30			
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		20	21	26
	CQ35		0	0	0
	SAE 1548mod		1	1	1
	38MnS6		4	4	5
	S48C		1	1	1

# Přirážky za legury

**KVĚTEN 2016 [€/t]**

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		0	0	0
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		0	0	0
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		0	0	0
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	C55		0	0	0
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		0	0	0
1.1303	38MnVS6		0	0	0
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		21	22	27
1.3520	100CrMnSi6-4		28	29	36
1.3531	16CrNiMo6		95	99	123
1.3537	100CrMo7		30	31	39
1.5023	38Si7		11	11	14
1.5122	37MnSi5		8	8	10
1.5217	20MnV6		2	2	3
1.5231	38MnSiVS5		1	1	1
	C38mod	0	1	1	1
1.5232	27MnSiVS6		1	1	1
1.5415	16Mo3 (15Mo3)		5	5	6
1.5508	22B2		0	0	0
1.5526	30MnB4+Ti,30MnB4		3	3	4
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		158	164	204
1.5810	18NiCr5-4		76	79	98
1.5918	17CrNi6		89	92	115
1.5920	18CrNi8		112	116	144
1.6522	20NiCrMo2		33	34	43
1.6540	23MnNiCrMo53		45	47	58
1.6541	23MnNiCrMo52		34	35	44
1.6566	17NiCrMo6-4		92	95	119

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6580	30CrNiMo8		121	125	156
1.6582	34CrNiMo6	79	89	92	115
1.6587	18CrNiMo7-6	84	95	99	123
1.6758	23MnNiMoCr54		58	60	75
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		18	19	23
1.7131	16MnCr5(S5)		13	13	17
1.7147	20MnCr5(S5)		16	17	21
1.7160	16MnCrB5		13	13	17
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		6	6	8
1.7185	33MnCrB5		6	6	8
1.7218	25CrMoS4		19	20	25
1.7220	34CrMoS4		19	20	25
1.7225	42CrMo4	17	19	20	25
1.7227	42CrMoS4	17	19	20	25
1.7228	50CrMo4		19	20	25
1.7321	20MoCr4		14	15	18
1.7325	25MoCr4		15	16	19
1.7335	13CrMo4-5		22	23	28
1.7380	10CrMo9-10		51	53	66
1.7701	52CrMoV4		14	15	18
1.7707	30CrMoV9		53	55	68
1.8153	60SiCrV7		21	22	27
1.8159	51CrV4, 50CrV4		11	11	14
1.8161	58CrV4		12	12	15
1.8519	31CrMoV9		35	36	45
	18NiCrMo5		92	95	119
	21NiCrMo5		92	95	119
	40NiCrMo7		117	121	151

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	39NiCrMo3		70	73	90
	20CrNi4		75	78	97
	16CrNi4		75	78	97
	16NiCrS4		75	78	97
	EN 355		145	150	187
	TL 1356		0	0	0
	TL 1427		0	0	0
	TL 1438		0	0	0
	TL 4221		14	15	18
	TL 4227		14	15	18
	TL 4521		92	95	119
	TL4521MOD		144	149	186
	V2905		0	0	0
	V2906		0	0	0
	ZF1		89	92	115
	ZF1A		95	99	123
	ZF6		13	13	17
	ZF50	0	0	0	0
	ZF59		1	1	1
	ZF60M		0	0	0
	ZF7		16	17	21
	ZF7B		16	17	21
	4130 Mod		45	47	58
	4140		19	20	25
	C15F+Svk		7	7	9
	30Cr2V		104	108	134
	38Cr2V		90	93	116
	817M40-TZM		102	106	132
	605M36		6	6	8
	60SiCr8		19	20	25
	709M40		39	40	50
	C50E26C		3	3	4
	C50E83C		24	25	31
	4319		106	110	137
	8219		37	38	48



W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	8319		40	41	52
	S53		7	7	9
	50S2		11	11	14
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	30			
	42CrMo4-NIC	30			
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		20	21	26
	CQ35		0	0	0
	SAE 1548mod		1	1	1
	38MnS6		4	4	5
	S48C		1	1	1

## Přirážky za legury

ČERVEN 2016 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		0	0	0
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		0	0	0
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		0	0	0
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			
1.1203	C55		0	0	0

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		0	0	0
1.1303	38MnVS6		0	0	0
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		20	21	26
1.3520	100CrMnSi6-4		26	27	34
1.3531	16CrNiMo6		93	96	120
1.3537	100CrMo7		29	30	37
1.5023	38Si7		11	11	14
1.5122	37MnSi5		8	8	10
1.5217	20MnV6		2	2	3
1.5231	38MnSiVS5		3	3	4
	C38mod	0	3	3	4
1.5232	27MnSiVS6		3	3	4
1.5415	16Mo3 (15Mo3)		5	5	6
1.5508	22B2		0	0	0
1.5526	30MnB4+Ti,30MnB4		3	3	4
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		158	164	204
1.5810	18NiCr5-4		76	79	98
1.5918	17CrNi6		89	92	115
1.5920	18CrNi8		112	116	144
1.6522	20NiCrMo2		34	35	44
1.6540	23MnNiCrMo53		45	47	58
1.6541	23MnNiCrMo52		35	36	45
1.6566	17NiCrMo6-4		92	95	119
1.6580	30CrNiMo8		121	125	156
1.6582	34CrNiMo6	79	89	92	115
1.6587	18CrNiMo7-6	84	95	99	123

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6758	23MnNiMoCr54		59	61	76
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		18	19	23
1.7131	16MnCr5(S5)		12	12	15
1.7147	20MnCr5(S5)		15	16	19
1.7160	16MnCrB5		12	12	15
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		6	6	8
1.7185	33MnCrB5		5	5	6
1.7218	25CrMoS4		19	20	25
1.7220	34CrMoS4		19	20	25
1.7225	42CrMo4	17	19	20	25
1.7227	42CrMoS4	17	19	20	25
1.7228	50CrMo4		19	20	25
1.7321	20MoCr4		14	15	18
1.7325	25MoCr4		15	16	19
1.7335	13CrMo4-5		22	23	28
1.7380	10CrMo9-10		50	52	65
1.7701	52CrMoV4		16	17	21
1.7707	30CrMoV9		53	55	68
1.8153	60SiCrV7		21	22	27
1.8159	51CrV4, 50CrV4		11	11	14
1.8161	58CrV4		12	12	15
1.8519	31CrMoV9		35	36	45
	18NiCrMo5		92	95	119
	21NiCrMo5		92	95	119
	40NiCrMo7		117	121	151
	39NiCrMo3		70	73	90
	20CrNi4		75	78	97
	16CrNi4		75	78	97
	16NiCrS4		75	78	97

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	EN 355		145	150	187
	TL 1356		0	0	0
	TL 1427		0	0	0
	TL 1438		0	0	0
	TL 4221		14	15	18
	TL 4227		14	15	18
	TL 4521		92	95	119
	TL4521MOD		144	149	186
	V2905		0	0	0
	V2906		0	0	0
	ZF1		89	92	115
	ZF1A		95	99	123
	ZF6		13	13	17
	ZF50	0	0	0	0
	ZF59		1	1	1
	ZF60M		0	0	0
	ZF7		16	17	21
	ZF7B		16	17	21
	4130 Mod		45	47	58
	4140		19	20	25
	C15F+Svk		7	7	9
	30Cr2V		104	108	134
	38Cr2V		90	93	116
	817M40-TZM		102	106	132
	605M36		6	6	8
	60SiCr8		19	20	25
	709M40		39	40	50
	C50E26C		3	3	4
	C50E83C		24	25	31
	4319		106	110	137
	8219		37	38	48
	8319		40	41	52
	S53		7	7	9
	50S2		11	11	14
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	30			
	42CrMo4-NIC	30			

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		20	21	26
	CQ35		0	0	0
	SAE 1548mod		1	1	1
	38MnS6		4	4	5
	S48C		1	1	1

## Přirážky za legury

ČERVENEC 2016 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		0	0	0
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		0	0	0
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		0	0	0
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			
1.1203	C55		0	0	0

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		3	3	4
1.1303	38MnVS6		3	3	4
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		20	21	26
1.3520	100CrMnSi6-4		26	27	34
1.3531	16CrNiMo6		100	104	129
1.3537	100CrMo7		35	36	45
1.5023	38Si7		12	12	15
1.5122	37MnSi5		9	9	12
1.5217	20MnV6		4	4	5
1.5231	38MnSiVS5		6	6	8
	C38mod	0	6	6	8
1.5232	27MnSiVS6		6	6	8
1.5415	16Mo3 (15Mo3)		12	12	15
1.5508	22B2		0	0	0
1.5526	30MnB4+Ti,30MnB4		3	3	4
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		155	161	200
1.5810	18NiCr5-4		76	79	98
1.5918	17CrNi6		88	91	114
1.5920	18CrNi8		111	115	143
1.6522	20NiCrMo2		38	39	49
1.6540	23MnNiCrMo53		51	53	66
1.6541	23MnNiCrMo52		40	41	52
1.6566	17NiCrMo6-4		95	99	123
1.6580	30CrNiMo8		129	134	166
1.6582	34CrNiMo6	84	94	97	121
1.6587	18CrNiMo7-6	90	101	105	130



W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6758	23MnNiMoCr54		72	75	93
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		19	20	25
1.7131	16MnCr5(S5)		13	13	17
1.7147	20MnCr5(S5)		16	17	21
1.7160	16MnCrB5		13	13	17
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		6	6	8
1.7185	33MnCrB5		6	6	8
1.7218	25CrMoS4		24	25	31
1.7220	34CrMoS4		24	25	31
1.7225	42CrMo4	21	24	25	31
1.7227	42CrMoS4	21	24	25	31
1.7228	50CrMo4		24	25	31
1.7321	20MoCr4		25	26	32
1.7325	25MoCr4		25	26	32
1.7335	13CrMo4-5		33	34	43
1.7380	10CrMo9-10		73	76	94
1.7701	52CrMoV4		26	27	34
1.7707	30CrMoV9		62	64	80
1.8153	60SiCrV7		22	23	28
1.8159	51CrV4, 50CrV4		17	18	22
1.8161	58CrV4		16	17	21
1.8519	31CrMoV9		44	46	57
	18NiCrMo5		95	99	123
	21NiCrMo5		95	99	123
	40NiCrMo7		120	124	155
	39NiCrMo3		73	76	94
	20CrNi4		76	79	98
	16CrNi4		76	79	98
	16NiCrS4		76	79	98

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	EN 355		148	153	191
	TL 1356		0	0	0
	TL 1427		2	2	3
	TL 1438		2	2	3
	TL 4221		14	15	18
	TL 4227		14	15	18
	TL 4521		97	101	125
	TL4521MOD		149	155	192
	V2905		1	1	1
	V2906		1	1	1
	ZF1		88	91	114
	ZF1A		101	105	130
	ZF6		13	13	17
	ZF50	0	0	0	0
	ZF59		5	5	6
	ZF60M		0	0	0
	ZF7		16	17	21
	ZF7B		16	17	21
	4130 Mod		47	49	61
	4140		24	25	31
	C15F+Svk		7	7	9
	30Cr2V		105	109	135
	38Cr2V		91	94	117
	817M40-TZM		106	110	137
	605M36		19	20	25
	60SiCr8		8	8	10
	709M40		44	46	57
	C50E26C		4	4	5
	C50E83C		24	25	31
	4319		111	115	143
	8219		42	44	54
	8319		45	47	58
	S53		7	7	9
	50S2		12	12	15
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	36			
	42CrMo4-NIC	36			

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		23	24	30
	CQ35		0	0	0
	SAE 1548mod		1	1	1
	38MnS6		4	4	5
	S48C		0	0	0

## Přirážky za legury

SRPEN 2016 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		0	0	0
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		0	0	0
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		0	0	0
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			
1.1203	C55		0	0	0

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		4	4	5
1.1303	38MnVS6		4	4	5
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		21	22	27
1.3520	100CrMnSi6-4		26	27	34
1.3531	16CrNiMo6		105	109	135
1.3537	100CrMo7		38	39	49
1.5023	38Si7		12	12	15
1.5122	37MnSi5		9	9	12
1.5217	20MnV6		4	4	5
1.5231	38MnSiVS5		7	7	9
	C38mod	0	7	7	9
1.5232	27MnSiVS6		7	7	9
1.5415	16Mo3 (15Mo3)		19	20	25
1.5508	22B2		2	2	3
1.5526	30MnB4+Ti,30MnB4		3	3	4
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		157	163	203
1.5810	18NiCr5-4		78	81	101
1.5918	17CrNi6		90	93	116
1.5920	18CrNi8		113	117	146
1.6522	20NiCrMo2		39	40	50
1.6540	23MnNiCrMo53		52	54	67
1.6541	23MnNiCrMo52		41	43	53
1.6566	17NiCrMo6-4		101	105	130
1.6580	30CrNiMo8		141	146	182
1.6582	34CrNiMo6	90	102	106	132
1.6587	18CrNiMo7-6	98	110	114	142

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6758	23MnNiMoCr54		82	85	106
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		20	21	26
1.7131	16MnCr5(S5)		13	13	17
1.7147	20MnCr5(S5)		16	17	21
1.7160	16MnCrB5		13	13	17
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		6	6	8
1.7185	33MnCrB5		7	7	9
1.7218	25CrMoS4		29	30	37
1.7220	34CrMoS4		29	30	37
1.7225	42CrMo4	26	29	30	37
1.7227	42CrMoS4	26	29	30	37
1.7228	50CrMo4		29	30	37
1.7321	20MoCr4		34	35	44
1.7325	25MoCr4		35	36	45
1.7335	13CrMo4-5		43	45	55
1.7380	10CrMo9-10		93	96	120
1.7701	52CrMoV4		32	33	41
1.7707	30CrMoV9		69	72	89
1.8153	60SiCrV7		22	23	28
1.8159	51CrV4, 50CrV4		18	19	23
1.8161	58CrV4		17	18	22
1.8519	31CrMoV9		50	52	65
	18NiCrMo5		101	105	130
	21NiCrMo5		101	105	130
	40NiCrMo7		126	131	163
	39NiCrMo3		77	80	99
	20CrNi4		76	79	98
	16CrNi4		76	79	98
	16NiCrS4		76	79	98

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	EN 355		157	163	203
	TL 1356		0	0	0
	TL 1427		3	3	4
	TL 1438		3	3	4
	TL 4221		14	15	18
	TL 4227		15	16	19
	TL 4521		110	114	142
	TL4521MOD		162	168	209
	V2905		2	2	3
	V2906		2	2	3
	ZF1		90	93	116
	ZF1A		110	114	142
	ZF6		13	13	17
	ZF50	0	0	0	0
	ZF59		5	5	6
	ZF60M		0	0	0
	ZF7		16	17	21
	ZF7B		16	17	21
	4130 Mod		52	54	67
	4140		29	30	37
	C15F+Svk		7	7	9
	30Cr2V		107	111	138
	38Cr2V		92	95	119
	817M40-TZM		112	116	144
	605M36		21	22	27
	60SiCr8		8	8	10
	709M40		47	49	61
	C50E26C		4	4	5
	C50E83C		26	27	34
	4319		116	120	150
	8219		44	46	57
	8319		48	50	62
	S53		7	7	9
	50S2		12	12	15
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	42			
	42CrMo4-NIC	42			

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		25	26	32
	CQ35		0	0	0
	SAE 1548mod		1	1	1
	38MnS6		4	4	5
	S48C		0	0	0



## Přirážky za legury

ZÁŘÍ 2016 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		0	0	0
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		0	0	0
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		0	0	0
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			
1.1203	C55		0	0	0

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		2	2	3
1.1303	38MnVS6		2	2	3
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		21	22	27
1.3520	100CrMnSi6-4		26	27	34
1.3531	16CrNiMo6		123	128	159
1.3537	100CrMo7		39	40	50
1.5023	38Si7		12	12	15
1.5122	37MnSi5		9	9	12
1.5217	20MnV6		3	3	4
1.5231	38MnSiVS5		6	6	8
	C38mod	0	6	6	8
1.5232	27MnSiVS6		6	6	8
1.5415	16Mo3 (15Mo3)		19	20	25
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		2	2	3
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		185	192	239
1.5810	18NiCr5-4		88	91	114
1.5918	17CrNi6		106	110	137
1.5920	18CrNi8		134	139	173
1.6522	20NiCrMo2		48	50	62
1.6540	23MnNiCrMo53		65	67	84
1.6541	23MnNiCrMo52		53	55	68
1.6566	17NiCrMo6-4		110	114	142
1.6580	30CrNiMo8		162	168	209
1.6582	34CrNiMo6	104	117	121	151
1.6587	18CrNiMo7-6	113	127	132	164

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6758	23MnNiMoCr54		98	102	126
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		20	21	26
1.7131	16MnCr5(S5)		13	13	17
1.7147	20MnCr5(S5)		16	17	21
1.7160	16MnCrB5		13	13	17
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		6	6	8
1.7185	33MnCrB5		7	7	9
1.7218	25CrMoS4		30	31	39
1.7220	34CrMoS4		30	31	39
1.7225	42CrMo4	26	30	31	39
1.7227	42CrMoS4	26	30	31	39
1.7228	50CrMo4		30	31	39
1.7321	20MoCr4		35	36	45
1.7325	25MoCr4		36	37	46
1.7335	13CrMo4-5		44	46	57
1.7380	10CrMo9-10		95	99	123
1.7701	52CrMoV4		31	32	40
1.7707	30CrMoV9		72	75	93
1.8153	60SiCrV7		22	23	28
1.8159	51CrV4, 50CrV4		16	17	21
1.8161	58CrV4		16	17	21
1.8519	31CrMoV9		49	51	63
	18NiCrMo5		110	114	142
	21NiCrMo5		110	114	142
	40NiCrMo7		136	141	175
	39NiCrMo3		83	86	107
	20CrNi4		82	85	106
	16CrNi4		82	85	106
	16NiCrS4		82	85	106

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	EN 355		170	176	219
	TL 1356		0	0	0
	TL 1427		1	1	1
	TL 1438		1	1	1
	TL 4221		14	15	18
	TL 4227		15	16	19
	TL 4521		121	125	156
	TL4521MOD		173	179	223
	V2905		1	1	1
	V2906		1	1	1
	ZF1		106	110	137
	ZF1A		127	132	164
	ZF6		13	13	17
	ZF50	0	0	0	0
	ZF59		5	5	6
	ZF60M		0	0	0
	ZF7		16	17	21
	ZF7B		16	17	21
	4130 Mod		53	55	68
	4140		30	31	39
	C15F+Svk		7	7	9
	30Cr2V		108	112	139
	38Cr2V		93	96	120
	817M40-TZM		126	131	163
	605M36		23	24	30
	60SiCr8		8	8	10
	709M40		48	50	62
	C50E26C		4	4	5
	C50E83C		26	27	34
	4319		131	136	169
	8219		44	46	57
	8319		48	50	62
	S53		7	7	9
	50S2		12	12	15
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	47			
	42CrMo4-NIC	47			

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		25	26	32
	CQ35		0	0	0
	SAE 1548mod		1	1	1
	38MnS6		4	4	5
	S48C		0	0	0

## Alloy Surcharges

OCTOBER 2016 [€/t]

W.Nr.	steel grade	continuously cast	steel bars	wire rod	drawn & peeled steel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		0	0	0
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		0	0	0
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		0	0	0
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			
1.1203	C55		0	0	0

W.Nr.	steel grade	continuously cast	steel bars	wire rod	drawn & peeled steel
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		2	2	3
1.1303	38MnVS6		2	2	3
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		21	22	27
1.3520	100CrMnSi6-4		26	27	34
1.3531	16CrNiMo6		138	143	178
1.3537	100CrMo7		39	40	50
1.5023	38Si7		12	12	15
1.5122	37MnSi5		10	10	13
1.5217	20MnV6		3	3	4
1.5231	38MnSiVS5		7	7	9
	C38mod	0	7	7	9
1.5232	27MnSiVS6		7	7	9
1.5415	16Mo3 (15Mo3)		19	20	25
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		2	2	3
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		215	223	277
1.5810	18NiCr5-4		100	104	129
1.5918	17CrNi6		119	123	154
1.5920	18CrNi8		150	156	194
1.6522	20NiCrMo2		54	56	70
1.6540	23MnNiCrMo53		73	76	94
1.6541	23MnNiCrMo52		57	59	74
1.6566	17NiCrMo6-4		118	122	152
1.6580	30CrNiMo8		178	185	230
1.6582	34CrNiMo6	115	129	134	166
1.6587	18CrNiMo7-6	124	139	144	179

W.Nr.	steel grade	continuously cast	steel bars	wire rod	drawn & peeled steel
1.6758	23MnNiMoCr54		104	108	134
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		20	21	26
1.7131	16MnCr5(S5)		13	13	17
1.7147	20MnCr5(S5)		16	17	21
1.7160	16MnCrB5		13	13	17
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		7	7	9
1.7185	33MnCrB5		7	7	9
1.7218	25CrMoS4		29	30	37
1.7220	34CrMoS4		29	30	37
1.7225	42CrMo4	26	29	30	37
1.7227	42CrMoS4	26	29	30	37
1.7228	50CrMo4		29	30	37
1.7321	20MoCr4		35	36	45
1.7325	25MoCr4		36	37	46
1.7335	13CrMo4-5		44	46	57
1.7380	10CrMo9-10		94	97	121
1.7701	52CrMoV4		31	32	40
1.7707	30CrMoV9		76	79	98
1.8153	60SiCrV7		22	23	28
1.8159	51CrV4, 50CrV4		17	18	22
1.8161	58CrV4		17	18	22
1.8519	31CrMoV9		49	51	63
	18NiCrMo5		118	122	152
	21NiCrMo5		118	122	152
	40NiCrMo7		146	151	188
	39NiCrMo3		87	90	112
	20CrNi4		86	89	111
	16CrNi4		86	89	111
	16NiCrS4		86	89	111



W.Nr.	steel grade	continuously cast	steel bars	wire rod	drawn & peeled steel
	EN 355		190	197	245
	TL 1356		0	0	0
	TL 1427		2	2	3
	TL 1438		2	2	3
	TL 4221		14	15	18
	TL 4227		15	16	19
	TL 4521		138	143	178
	TL4521MOD		190	197	245
	V2905		1	1	1
	V2906		1	1	1
	ZF1		119	123	154
	ZF1A		139	144	179
	ZF6		14	15	18
	ZF50	0	0	0	0
	ZF59		7	7	9
	ZF60M		0	0	0
	ZF7		16	17	21
	ZF7B		16	17	21
	4130 Mod		54	56	70
	4140		29	30	37
	C15F+Svk		7	7	9
	30Cr2V		108	112	139
	38Cr2V		93	96	120
	817M40-TZM		133	138	172
	605M36		23	24	30
	60SiCr8		8	8	10
	709M40		48	50	62
	C50E26C		4	4	5
	C50E83C		26	27	34
	4319		140	145	181
	8219		44	46	57
	8319		49	51	63
	S53		7	7	9
	50S2		12	12	15
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	51			
	42CrMo4-NIC	51			

W.Nr.	steel grade	continuously cast	steel bars	wire rod	drawn & peeled steel
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		25	26	32
	CQ35		0	0	0
	SAE 1548mod		1	1	1
	38MnS6		4	4	5
	S48C		0	0	0
	38MnVS5		7	7	9

## Přirážky za legury

LISTOPAD 2016 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		0	0	0
1.0050	E295/St 50-2		0	0	0
1.0060	E335/St 60-2		0	0	0
1.0070	E360		0	0	0
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		0	0	0
1.0460	P250GH/C22.8		0	0	0
1.0501	C35E		0	0	0
1.0546	S355NL	0	0	0	0
1.0553	S355J0	0	0	0	0
1.0566	T STE 355		1	1	1
1.0569	QSt52-3		0	0	0
1.0577	S355J2	0	0	0	0
1.0580	E355		0	0	0
1.0715	11SMN30		0	0	0
1.0726	35S20		0	0	0
1.0727	46S20		0	0	0
1.0762	44SMn28		1	1	1
1.1141	C15E		0	0	0
1.1157	EA1K	0	0	0	0
1.1173	30Mn5		1	1	1
1.1180	C35 RCR	0	0	0	0
1.1191	C45E	0	0	0	0
1.1191	ER7CAFMOD1	0	0	0	0
1.1191	ER73CAF	0	0	0	0
1.1191	R73	0	0	0	0
1.1191	R73CAF	0	0	0	0
1.1191	R6	0			
1.1191	R7	0			
1.1193	Cf45		0	0	0
1.1201	C45R		0	0	0
1.1203	ER8CAF	0			

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	C55		0	0	0
1.1203	R8	0			
1.1206	ER7CAF	0	0	0	0
1.1206	7C1-CAF	0			
1.1213	CF53/CF53X10		0	0	0
1.1213	CF53X20		0	0	0
1.1221	C60E		0	0	0
1.1221	CLASS B	0	0	0	0
	BC4	0			
1.1231	CR-CAF	0	0	0	0
1.1302	30MnVS6		4	4	5
1.1303	38MnVS6		4	4	5
1.2208	31CrV2 (31CrV3)		21	22	27
1.3505	100Cr6		20	21	26
1.3520	100CrMnSi6-4		26	27	34
1.3531	16CrNiMo6		138	143	178
1.3537	100CrMo7		39	40	50
1.5023	38Si7		13	13	17
1.5122	37MnSi5		10	10	13
1.5217	20MnV6		4	4	5
1.5231	38MnSiVS5		8	8	10
	C38mod	0	8	8	10
1.5232	27MnSiVS6		8	8	10
1.5415	16Mo3 (15Mo3)		20	21	26
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		2	2	3
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		211	219	272
1.5810	18NiCr5-4		98	102	126
1.5918	17CrNi6		117	121	151
1.5920	18CrNi8		147	152	190
1.6522	20NiCrMo2		54	56	70
1.6540	23MnNiCrMo53		73	76	94
1.6541	23MnNiCrMo52		57	59	74
1.6566	17NiCrMo6-4		117	121	151
1.6580	30CrNiMo8		177	184	228

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6582	34CrNiMo6	115	128	133	165
1.6587	18CrNiMo7-6	123	138	143	178
1.6758	23MnNiMoCr54		105	109	135
1.7015	15Cr3		8	8	10
1.7016	17Cr3		12	12	15
1.7027	20Cr4		15	16	19
1.7033	34Cr4(S4)		15	16	19
1.7035	41Cr4(S4)		15	16	19
1.7076	32CrB4		15	16	19
1.7077	36CrB4		15	16	19
1.7102	54SiCr6		20	21	26
1.7131	16MnCr5(S5)		13	13	17
1.7147	20MnCr5(S5)		16	17	21
1.7160	16MnCrB5		13	13	17
1.7176	55Cr3		12	12	15
1.7182	27MnCrB5/35KBW		7	7	9
1.7185	33MnCrB5		7	7	9
1.7218	25CrMoS4		29	30	37
1.7220	34CrMoS4		29	30	37
1.7225	42CrMo4	26	29	30	37
1.7227	42CrMoS4	26	29	30	37
1.7228	50CrMo4		29	30	37
1.7321	20MoCr4		36	37	46
1.7325	25MoCr4		36	37	46
1.7335	13CrMo4-5		45	47	58
1.7380	10CrMo9-10		96	100	124
1.7701	52CrMoV4		33	34	43
1.7707	30CrMoV9		76	79	98
1.8153	60SiCrV7		22	23	28
1.8159	51CrV4, 50CrV4		19	20	25
1.8161	58CrV4		18	19	23
1.8519	31CrMoV9	45	51	53	66
	18NiCrMo5		117	121	151
	21NiCrMo5		117	121	151
	40NiCrMo7		145	150	187

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	39NiCrMo3		86	89	111
	20CrNi4		85	88	110
	16CrNi4		85	88	110
	16NiCrS4		85	88	110
	EN 355		188	195	243
	TL 1356		0	0	0
	TL 1427		4	4	5
	TL 1438		4	4	5
	TL 4221		14	15	18
	TL 4227		15	16	19
	TL 4521		137	142	177
	TL4521MOD		189	196	244
	V2905		2	2	3
	V2906		2	2	3
	ZF1		117	121	151
	ZF1A		138	143	178
	ZF6		13	13	17
	ZF50	0	0	0	0
	ZF59		8	8	10
	ZF60M		0	0	0
	ZF7		16	17	21
	ZF7B		16	17	21
	4130 Mod		54	56	70
	4140		29	30	37
	C15F+Svk		7	7	9
	30Cr2V		107	111	138
	38Cr2V		92	95	119
	817M40-TZM		132	137	170
	605M36		23	24	30
	60SiCr8		8	8	10
	709M40		48	50	62
	C50E26C		4	4	5
	C50E83C		26	27	34
	4319		139	144	179
	8219		44	46	57
	8319		49	51	63

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	S53		7	7	9
	50S2		13	13	17
	WSTE 355+CE	0	0	0	0
	42CrMo4 Mod	51			
	42CrMo4-NIC	51			
	E.R9.3	0			
	E.R8.3	0			
	BR	0			
	CLASS C	0			
	MK-J2		25	26	32
	CQ35		0	0	0
	SAE 1548mod		1	1	1
	38MnS6		4	4	5
	S48C		0	0	0
	38MnVS5		8	8	10

## Přirážky za legury

PROSINEC 2016 [€/t]

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.0037	S235JR		1	1	1
1.0050	E295/St 50-2		1	1	1
1.0060	E335/St 60-2		0	0	0
1.0070	E360		1	1	1
1.0213	C8C/QSt34-3		0	0	0
1.0303	C4C/QST32-3, C9D		0	0	0
1.0402	C22		1	1	1
1.0460	P250GH/C22.8		1	1	1
1.0501	C35E		1	1	1
1.0546	S355NL	1	1	1	1
1.0553	S355J0	1	1	1	1
1.0566	T STE 355		1	1	1
1.0569	QSt52-3		1	1	1
1.0577	S355J2	1	1	1	1
1.0580	E355		1	1	1
1.0715	11SMN30		1	1	1
1.0726	35S20		1	1	1
1.0727	46S20		1	1	1
1.0762	44SMn28		1	1	1
1.1141	C15E		0	0	0
1.1157	EA1K	1	1	1	1
1.1173	30Mn5		1	1	1
1.1180	C35 RCR	1	1	1	1
1.1191	C45E	1	1	1	1
1.1191	ER7CAFMOD1	1	1	1	1
1.1191	ER73CAF	1	1	1	1
1.1191	R73	1	1	1	1
1.1191	R73CAF	1	1	1	1
1.1191	R6	1			
1.1191	R7	1			
1.1193	Cf45		1	1	1
1.1201	C45R		1	1	1
1.1203	ER8CAF	1			



W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.1203	C55		1	1	1
1.1203	R8	1			
1.1206	ER7CAF	1	1	1	1
1.1206	7C1-CAF	1			
1.1213	CF53/CF53X10		1	1	1
1.1213	CF53X20		1	1	1
1.1221	C60E		1	1	1
1.1221	CLASS B	1	1	1	1
	BC4	8			
1.1231	CR-CAF	1	1	1	1
1.1302	30MnVS6		6	6	8
1.1303	38MnVS6		6	6	8
1.2208	31CrV2 (31CrV3)		23	24	30
1.3505	100Cr6		23	24	30
1.3520	100CrMnSi6-4		29	30	37
1.3531	16CrNiMo6		139	144	179
1.3537	100CrMo7		41	43	53
1.5023	38Si7		13	13	17
1.5122	37MnSi5		11	11	14
1.5217	20MnV6		6	6	8
1.5231	38MnSiVS5		9	9	12
	C38mod	8	9	9	12
1.5232	27MnSiVS6		10	10	13
1.5415	16Mo3 (15Mo3)		19	20	25
1.5508	22B2		1	1	1
1.5526	30MnB4+Ti,30MnB4		2	2	3
1.5535	23MnB4		1	1	1
1.5752	15NiCr13 (14NiCr14)		215	223	277
1.5810	18NiCr5-4		100	104	129
1.5918	17CrNi6		121	125	156
1.5920	18CrNi8		152	158	196
1.6522	20NiCrMo2		54	56	70
1.6540	23MnNiCrMo53		73	76	94
1.6541	23MnNiCrMo52		57	59	74
1.6566	17NiCrMo6-4		118	122	152
1.6580	30CrNiMo8		180	187	232

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
1.6582	34CrNiMo6	117	131	136	169
1.6587	18CrNiMo7-6	126	140	145	181
1.6758	23MnNiMoCr54		104	108	134
1.7015	15Cr3		9	9	12
1.7016	17Cr3		13	13	17
1.7027	20Cr4		17	18	22
1.7033	34Cr4(S4)		17	18	22
1.7035	41Cr4(S4)		17	18	22
1.7076	32CrB4		17	18	22
1.7077	36CrB4		17	18	22
1.7102	54SiCr6		21	22	27
1.7131	16MnCr5(S5)		15	16	19
1.7147	20MnCr5(S5)		18	19	23
1.7160	16MnCrB5		15	16	19
1.7176	55Cr3		14	15	18
1.7182	27MnCrB5/35KBW		8	8	10
1.7185	33MnCrB5		8	8	10
1.7218	25CrMoS4		30	31	39
1.7220	34CrMoS4		30	31	39
1.7225	42CrMo4	27	30	31	39
1.7227	42CrMoS4	27	30	31	39
1.7228	50CrMo4		30	31	39
1.7321	20MoCr4		34	35	44
1.7325	25MoCr4		35	36	45
1.7335	13CrMo4-5		44	46	57
1.7380	10CrMo9-10		94	97	121
1.7701	52CrMoV4		35	36	45
1.7707	30CrMoV9		81	84	104
1.8153	60SiCrV7		23	24	30
1.8159	51CrV4, 50CrV4		22	23	28
1.8161	58CrV4		21	22	27
1.8519	31CrMoV9	49	55	57	71
	18NiCrMo5		118	122	152
	21NiCrMo5		118	122	152
	40NiCrMo7		146	151	188

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	39NiCrMo3		87	90	112
	20CrNi4		86	89	111
	16CrNi4		86	89	111
	16NiCrS4		86	89	111
	EN 355		190	197	245
	TL 1356		1	1	1
	TL 1427		5	5	6
	TL 1438		5	5	6
	TL 4221		16	17	21
	TL 4227		17	18	22
	TL 4521		139	144	179
	TL4521MOD		191	198	246
	V2905		3	3	4
	V2906		3	3	4
	ZF1		121	125	156
	ZF1A		140	145	181
	ZF6		15	16	19
	ZF50	1	1	1	1
	ZF59		9	9	12
	ZF60M		1	1	1
	ZF7		18	19	23
	ZF7B		18	19	23
	4130 Mod		56	58	72
	4140		30	31	39
	C15F+Svk		8	8	10
	30Cr2V		108	112	139
	38Cr2V		93	96	120
	817M40-TZM		133	138	172
	605M36		25	26	32
	60SiCr8		10	10	13
	709M40		49	51	63
	C50E26C		6	6	8
	C50E83C		27	28	35
	4319		140	145	181
	8219		45	47	58
	8319		50	52	65

W.Nr.	značka oceli	kontislitky	tyčová ocel	válcovaný drát	loupaná a tažená ocel
	S53		8	8	10
	50S2		13	13	17
	WSTE 355+CE	1	1	1	1
	42CrMo4 Mod	52			
	42CrMo4-NIC	52			
	E.R9.3	1			
	E.R8.3	1			
	ER8	1			
	BR	1			
	CLASS C	1			
	MK-J2		26	27	34
	CQ35		1	1	1
	SAE 1548mod		2	2	3
	38MnS6		5	5	6
	S48C		1	1	1
	38MnVS5		9	9	12